



# APPLING MIDDLE SCHOOL PAINT UPGRADES

BARTLETT CITY SCHOOLS


3700 Appling Road  
 Memphis TN 38113

## INDEX OF DRAWINGS

### ARCHITECTURAL

A1.1	REFERENCE FLOOR PLAN
A1.2	ENLARGE FLOOR PLAN- A
A1.3	ENLARGE FLOOR PLAN- B
A1.4	ENLARGE FLOOR PLAN- C
A1.5	ENLARGE FLOOR PLAN- D
A1.6	ENLARGE FLOOR PLAN- E
A1.7	ENLARGE FLOOR PLAN- F
A1.8	ENLARGE FLOOR PLAN- G
A7.1	INTERIOR ELEVATIONS

## VICINITY MAP



**DESIGN**

4FDESIGN  
 5101 WHEELIS DRIVE, SUITE 215  
 MEMPHIS, TN 38117  
 T: 901.767.3924  
 www.4fdesign.com

COPYRIGHT NOTICE:  
 COPYRIGHT © 2024 4FDESIGN, P.C. ALL RIGHTS RESERVED. THIS DOCUMENT  
 IS PROPRIETARY TO 4FDESIGN. DESIGN AND CONTENT ARE NOT TO BE REPRODUCED,  
 COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE  
 WRITTEN PERMISSION OF 4FDESIGN.

BARTLETT CITY SCHOOLS  
**APPLING MIDDLE SCHOOL PAINT UPGRADES**

3700 Appling Road  
 Memphis TN 38113

### REVISIONS

Date	Rev. #	Description

Date: 04/04/2024  
 Project Number: 180124

COVER

SHEET  
**0.0**



DESIGN

FOURFRONT DESIGN  
5101 WHEELS DRIVE, SUITE 215  
MEMPHIS, TN 38117  
T: 901.767.3924

FOURFRONT DESIGN  
CONTRACT DOCUMENT DESIGN P.L. ALL RIGHTS RESERVED. THIS DOCUMENT IS PROPRIETARY TO FOURFRONT DESIGN AND MAY NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION FROM FOURFRONT DESIGN.

GENERAL NOTES

1. CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO THE COMMENCEMENT OF WORK.
2. CONTRACTOR TO NOTIFY OWNER IF SUSPECTED ASBESTOS IS FOUND.
3. CONTRACTOR SHALL RETAIN ALL REQUIRED EGRESS PASSAGES AND EMERGENCY LIGHTING THROUGHOUT THE DURATION OF THE WORK.
4. CONTRACTOR SHALL PROVIDE TEMPORARY BARRIERS TO PREVENT UNAUTHORIZED ACCESS TO CONSTRUCTION AREAS DURING THE DURATION OF THE WORK.
5. MATERIAL REMOVED FROM THE CONSTRUCTION SITE DURING DEMOLITION REMAINS THE PROPERTY OF THE OWNER. VERIFY WITH OWNER PRIOR TO DISPOSAL OF MATERIALS AND/OR EQUIPMENT. IF MATERIALS/EQUIPMENT ARE TO BE REUSED, VERIFY WITH THE OWNER WHAT MATERIALS ARE TO BE RECLAIMED AND WHERE THEY ARE TO BE STORED.
6. IF EXISTING ITEMS IN WORKING ORDER PRIOR TO DEMOLITION ARE DAMAGED DURING CONSTRUCTION AND ARE TO BE REUSED, THE ITEM(S) SHALL BE RESTORED TO WORKING ORDER AND FINISHED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
7. ANY FINISHES, EQUIPMENT, FURNISHINGS, ETC. THAT ARE DAMAGED OR MISPLACED/LOST DURING THE COURSE OF THE WORK SHALL BE REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
8. WHERE NO WORK IS TO TAKE PLACE, THE CONTRACTOR SHALL PROTECT ALL EXISTING FURNISHINGS AND FINISHES.
9. ANY DAMAGE TO EXISTING CURBS, WALKS, PAVING, UTILITIES, FENCING, GRASS, TREES, PLANTING OR EXTERIOR STRUCTURES AND OTHER ITEMS INDICATED TO REMAIN SHALL BE REPAIRED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
10. DISPOSE OF ALL DEBRIS IN ACCORDANCE WITH AUTHORITIES HAVING JURISDICTION.
11. I. G. C. TO VERIFY LOCATIONS OF EXISTING UTILITIES SO AS TO NOT DAMAGE EXISTING SERVICES.
12. NO CONSTRUCTION WORK, TRAFFIC, PERSONNEL, OR MATERIALS SHALL ENCRUCH ON AREAS OUTSIDE THE LIMITS AND SHALL BE PROTECTED DURING CONSTRUCTION. ANY DAMAGE TO THE PROTECTED AREAS, ACCIDENTAL OR OTHERWISE, SHALL BE PREPARED TO THE SATISFACTION OF THE OWNER AT NO COST.

SYMBOL LEGEND

NORTH ARROW


ENLARGED PLAN OR PLAN DETAIL

ROOM NAME & NUMBER  
[4000A]

ELEVATION  
1 Ref  
A101  
1 Ref

SECTION  
1 Ref  
A101

NO WORK



1 REFERENCE FLOOR PLAN  
1" = 20'-0"



BARTLETT CITY SCHOOLS

APPLING MIDDLE SCHOOL PAINT

3700 Appling Road  
Memphis TN 38113

REVISIONS


Date	Rev. #	Description

Date 04/04/2024  
Project Number 180124

REFERENCE FLOOR PLAN

SHEET

A1.1



DESIGN

4FDESIGN  
5101 WHEELIS DRIVE, SUITE 215  
MEMPHIS, TN 38117  
T: 901.767.3924  
www.4fdesign.com

CONTRACTOR'S NOTICE: CONTRACTOR SHALL VERIFY ALL EXISTING CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO THE COMMENCEMENT OF WORK. IF SUSPECTED ASBESTOS IS FOUND, CONTRACTOR SHALL RETAIN ALL REQUIRED EGRESS PASSAGES AND EMERGENCY LIGHTING THROUGHOUT THE DURATION OF THE WORK. CONTRACTOR SHALL PROVIDE TEMPORARY BARRIERS TO PREVENT UNAUTHORIZED ACCESS TO CONSTRUCTION AREAS DURING THE DURATION OF THE WORK. MATERIAL REMOVED FROM THE CONSTRUCTION SITE DURING DEMOLITION REMAINS THE PROPERTY OF THE OWNER. VERIFY WITH OWNER PRIOR TO DISPOSAL OF MATERIALS AND/OR EQUIPMENT. IF MATERIALS/EQUIPMENT ARE TO BE REUSED, VERIFY WITH THE OWNER WHAT MATERIALS ARE TO BE RECLAIMED AND WHERE THEY ARE TO BE STORED. IF EXISTING ITEMS IN WORKING ORDER PRIOR TO DEMOLITION ARE DAMAGED DURING CONSTRUCTION AND ARE TO BE REUSED, THE ITEM(S) SHALL BE RESTORED TO WORKING ORDER AND FINISHED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER. ANY FINISHES, EQUIPMENT, FURNISHINGS, ETC. THAT ARE DAMAGED OR MISPLACED/LOST DURING THE COURSE OF THE WORK SHALL BE REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER. WHERE NO WORK IS TO TAKE PLACE, THE CONTRACTOR SHALL PROTECT ALL EXISTING FURNISHINGS AND FINISHES. ANY DAMAGE TO EXISTING CURBS, WALKS, PAVING, UTILITIES, FENCING, GRASS, TREES, PLANTING OR EXTERIOR STRUCTURES AND OTHER ITEMS INDICATED TO REMAIN SHALL BE REPAIRED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER. DISPOSE OF ALL DEBRIS IN ACCORDANCE WITH AUTHORITIES HAVING JURISDICTION. 11. S.C. TO VERIFY LOCATIONS OF EXISTING UTILITIES SO AS TO NOT DAMAGE EXISTING SERVICES. 12. NO CONSTRUCTION WORK, TRAFFIC, PERSONNEL, OR MATERIALS SHALL ENCROUGH ON AREAS OUTSIDE THE LIMITS AND SHALL BE PROTECTED DURING CONSTRUCTION. ANY DAMAGE TO THE PROTECTED AREAS, ACCIDENTAL OR OTHERWISE, SHALL BE PREPARED TO THE SATISFACTION OF THE OWNER AT NO COST.


SYMBOL LEGEND	
	NORTH ARROW
	ENLARGED PLAN OR PLAN DETAIL
	ROOM NAME & NUMBER
	ELEVATION
	SECTION
	NO WORK

ROOM FINISH LEGEND	
	WALLS: PAINT COLOR A & B (CORRIDORS) FLOOR: EXISTING TO REMAIN BASE: EXISTING TO REMAIN
	WALLS: PAINT COLOR A ON EXISTING COLUMNS & UNDERNEATH FURR DOWN (LOBBY) FLOOR: EXISTING TO REMAIN BASE: EXISTING TO REMAIN
	WALLS: PAINT COLOR A & B (RESTROOMS) FLOOR: EXISTING TO REMAIN BASE: EXISTING TO REMAIN NOTE: PAINT EXISTING CONCRETE TOILET PARTITIONS & DOORS. WAINSCOT HEIGHT TO BE 6 CMU BLOCKS HIGH MATCHING CORRIDORS
	WALLS: PAINT COLOR A & B (GYM & CAFETERIA) FLOOR: EXISTING TO REMAIN BASE: EXISTING TO REMAIN


FINISH NOTES	
1.	ALL DOORS AND FRAMES IN RENOVATED AREAS TO BE NEW PAINT COLOR B.
2.	PREP ALL METAL DOORS & DOOR FRAMES TO RECEIVE NEW PAINT.
3.	ALL INTERIOR WINDOWS IN RENOVATED AREAS TO BE NEW PAINT COLOR B.
4.	PREP ALL INTERIOR METAL WINDOW FRAMES TO RECEIVE NEW PAINT.
5.	PAINT ALL EXISTING WALLS IN RENOVATED AREA. IF EXISTING PAINT IS PEELING, PATCH & REPAIR AREA TO RECEIVE NEW PAINT.
6.	OWNER TO PROVIDE EXISTING PAINT COLORS THAT ARE TO REMAIN.
7.	PAINT EXISTING GYP. BD. CEILING MATCHING EXISTING COLOR.
8.	NO FLOOR, WALL BASE, CEILING OR LIGHTING WORK.
9.	REFER TO PLANS AND ELEVATIONS FOR PAINT ALLOCATIONS.
10.	IN EXISTING RESTROOMS, PAINT CONCRETE TOILET PARTITIONS & DOORS MATCHING EXISTING COLOR UNLESS NOTED OTHERWISE.
11.	ALL PAINT FINISH TO APPEAR AS NEW.
12.	REFER TO SPECIFICATION BOOK FOR FURTHER PAINT SPECIFICATIONS AND PREP REQUIREMENTS.
13.	ALL EXISTING PAINT REMAINING IN RENOVATED AREA TO RECEIVE A FRESH COAT OF PAINT.
14.	REMOVE ALL RESIDUE FROM DOOR, DOOR FRAMES AND WALLS PRIOR TO PAINTING.
15.	PAINT BOTH SIDE OF DOORS AND DOOR FRAMES IN RENOVATED AREAS.

FINISH SCHEDULE	
<b>PAINT</b>	
PAINT COLOR A- TO MATCH BENJAMIN MOORE OC-67 ICE MIST	
PAINT COLOR B- TO MATCH BENJAMIN MOORE CSP-110 VINTAGE PEWTER	

GENERAL NOTES	
1.	CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO THE COMMENCEMENT OF WORK.
2.	CONTRACTOR TO NOTIFY OWNER IF SUSPECTED ASBESTOS IS FOUND.
3.	CONTRACTOR SHALL RETAIN ALL REQUIRED EGRESS PASSAGES AND EMERGENCY LIGHTING THROUGHOUT THE DURATION OF THE WORK.
4.	CONTRACTOR SHALL PROVIDE TEMPORARY BARRIERS TO PREVENT UNAUTHORIZED ACCESS TO CONSTRUCTION AREAS DURING THE DURATION OF THE WORK.
5.	MATERIAL REMOVED FROM THE CONSTRUCTION SITE DURING DEMOLITION REMAINS THE PROPERTY OF THE OWNER. VERIFY WITH OWNER PRIOR TO DISPOSAL OF MATERIALS AND/OR EQUIPMENT. IF MATERIALS/EQUIPMENT ARE TO BE REUSED, VERIFY WITH THE OWNER WHAT MATERIALS ARE TO BE RECLAIMED AND WHERE THEY ARE TO BE STORED.
6.	IF EXISTING ITEMS IN WORKING ORDER PRIOR TO DEMOLITION ARE DAMAGED DURING CONSTRUCTION AND ARE TO BE REUSED, THE ITEM(S) SHALL BE RESTORED TO WORKING ORDER AND FINISHED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
7.	ANY FINISHES, EQUIPMENT, FURNISHINGS, ETC. THAT ARE DAMAGED OR MISPLACED/LOST DURING THE COURSE OF THE WORK SHALL BE REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
8.	WHERE NO WORK IS TO TAKE PLACE, THE CONTRACTOR SHALL PROTECT ALL EXISTING FURNISHINGS AND FINISHES.
9.	ANY DAMAGE TO EXISTING CURBS, WALKS, PAVING, UTILITIES, FENCING, GRASS, TREES, PLANTING OR EXTERIOR STRUCTURES AND OTHER ITEMS INDICATED TO REMAIN SHALL BE REPAIRED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
10.	DISPOSE OF ALL DEBRIS IN ACCORDANCE WITH AUTHORITIES HAVING JURISDICTION.
11.	S.C. TO VERIFY LOCATIONS OF EXISTING UTILITIES SO AS TO NOT DAMAGE EXISTING SERVICES.
12.	NO CONSTRUCTION WORK, TRAFFIC, PERSONNEL, OR MATERIALS SHALL ENCROUGH ON AREAS OUTSIDE THE LIMITS AND SHALL BE PROTECTED DURING CONSTRUCTION. ANY DAMAGE TO THE PROTECTED AREAS, ACCIDENTAL OR OTHERWISE, SHALL BE PREPARED TO THE SATISFACTION OF THE OWNER AT NO COST.



1 ENLARGE FLOOR PLAN - A  
1/8" = 1'-0"



BARTLETT CITY SCHOOLS

APPLING MIDDLE SCHOOL PAINT UPGRADES

3700 Appling Road  
Memphis TN 38113


REVISIONS		
Date	Rev. #	Description

Date 04/04/2024  
Project Number 180124

ENLARGE FLOOR PLAN- A

SHEET  
**A1.2**






**DESIGN**

4FDESIGN  
5101 WHEELIS DRIVE, SUITE 215  
MEMPHIS, TN 38117  
T: 901.767.3924  
www.4fdesign.com

CONTRACTOR'S NOTICE: CONTRACTOR SHALL VERIFY ALL RIGHTS RESERVED. THIS DOCUMENT IS PROPRIETARY TO 4FDESIGN. DESIGN AND NOT BE LOANED, COPIED, REPRODUCED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN CONSENT OF 4FDESIGN.

BARTLETT CITY SCHOOLS  
**APPLING MIDDLE SCHOOL PAINT UPGRADES**  
3700 Appling Road  
Memphis TN 38113



**SYMBOL LEGEND**

NORTH ARROW

ENLARGED PLAN OR PLAN DETAIL

ROOM NAME & NUMBER

ELEVATION

SECTION

NO WORK

**ROOM FINISH LEGEND**

- WALLS: PAINT COLOR A & B (CORRIDORS)  
FLOOR: EXISTING TO REMAIN  
BASE: EXISTING TO REMAIN
- WALLS: PAINT COLOR A ON EXISTING COLUMNS & UNDERNEATH FURR DOWN (LOBBY)  
FLOOR: EXISTING TO REMAIN  
BASE: EXISTING TO REMAIN
- WALLS: PAINT COLOR A & B (RESTROOMS)  
FLOOR: EXISTING TO REMAIN  
BASE: EXISTING TO REMAIN  
NOTE: PAINT EXISTING CONCRETE TOILET PARTITIONS & DOORS. WAINSCOT HEIGHT TO BE 6 CMU BLOCKS HIGH MATCHING CORRIDORS
- WALLS: PAINT COLOR A & B (GYM & CAFETERIA)  
FLOOR: EXISTING TO REMAIN  
BASE: EXISTING TO REMAIN

**FINISH NOTES**

1. ALL DOORS AND FRAMES IN RENOVATED AREAS TO BE NEW PAINT COLOR B.
2. PREP ALL METAL DOORS & DOOR FRAMES TO RECEIVE NEW PAINT.
3. ALL INTERIOR WINDOWS IN RENOVATED AREAS TO BE NEW PAINT COLOR B.
4. PREP ALL INTERIOR METAL WINDOW FRAMES TO RECEIVE NEW PAINT.
5. PAINT ALL EXISTING WALLS IN RENOVATED AREA. IF EXISTING PAINT IS PEELING, PATCH & REPAIR AREA TO RECEIVE NEW PAINT.
6. OWNER TO PROVIDE EXISTING PAINT COLORS THAT ARE TO REMAIN.
7. PAINT EXISTING GYP. BD. CEILING MATCHING EXISTING COLOR.
8. NO FLOOR, WALL BASE, CEILING OR LIGHTING WORK.
9. REFER TO PLANS AND ELEVATIONS FOR PAINT ALLOCATIONS.
10. IN EXISTING RESTROOMS, PAINT CONCRETE TOILET PARTITIONS & DOORS MATCHING EXISTING COLOR UNLESS NOTED OTHERWISE.
11. ALL PAINT FINISH TO APPEAR AS NEW.
12. REFER TO SPECIFICATION BOOK FOR FURTHER PAINT SPECIFICATIONS AND PREP REQUIREMENTS.
13. ALL EXISTING PAINT REMAINING IN RENOVATED AREA TO RECEIVE A FRESH COAT OF PAINT.
14. REMOVE ALL RESIDUE FROM DOOR, DOOR FRAMES AND WALLS PRIOR TO PAINTING.
15. PAINT BOTH SIDE OF DOORS AND DOOR FRAMES IN RENOVATED AREAS.

**FINISH SCHEDULE**

**PAINT**


PAINT COLOR A- TO MATCH BENJAMIN MOORE OC-67 ICE MIST

PAINT COLOR B- TO MATCH BENJAMIN MOORE CSP-110 VINTAGE PEWTER

**GENERAL NOTES**

1. CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO THE COMMENCEMENT OF WORK.
2. CONTRACTOR TO NOTIFY OWNER IF SUSPECTED ASBESTOS IS FOUND.
3. CONTRACTOR SHALL RETAIN ALL REQUIRED EGRESS PASSAGES AND EMERGENCY LIGHTING THROUGHOUT THE DURATION OF THE WORK.
4. CONTRACTOR SHALL PROVIDE TEMPORARY BARRIERS TO PREVENT UNAUTHORIZED ACCESS TO CONSTRUCTION AREAS DURING THE DURATION OF THE WORK.
5. MATERIAL REMOVED FROM THE CONSTRUCTION SITE DURING DEMOLITION REMAINS THE PROPERTY OF THE OWNER. VERIFY WITH OWNER PRIOR TO DISPOSAL OF MATERIALS AND/OR EQUIPMENT. IF MATERIALS/EQUIPMENT ARE TO BE REUSED, VERIFY WITH THE OWNER WHAT MATERIALS ARE TO BE RECLAIMED AND WHERE THEY ARE TO BE STORED.
6. IF EXISTING ITEMS IN WORKING ORDER PRIOR TO DEMOLITION ARE DAMAGED DURING CONSTRUCTION AND ARE TO BE REUSED, THE ITEM(S) SHALL BE RESTORED TO WORKING ORDER AND FINISHED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
7. ANY FINISHES, EQUIPMENT, FURNISHINGS, ETC. THAT ARE DAMAGED OR MISPLACED/LOST DURING THE COURSE OF THE WORK SHALL BE REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
8. WHERE NO WORK IS TO TAKE PLACE, THE CONTRACTOR SHALL PROTECT ALL EXISTING FURNISHINGS AND FINISHES.
9. ANY DAMAGE TO EXISTING CURBS, WALKS, PAVING, UTILITIES, FENCING, GRASS, TREES, PLANTING OR EXTERIOR STRUCTURES AND OTHER ITEMS INDICATED TO REMAIN SHALL BE REPAIRED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
10. DISPOSE OF ALL DEBRIS IN ACCORDANCE WITH AUTHORITIES HAVING JURISDICTION.
11. S.C. TO VERIFY LOCATIONS OF EXISTING UTILITIES SO AS TO NOT DAMAGE EXISTING SERVICES.
12. NO CONSTRUCTION WORK, TRAFFIC, PERSONNEL, OR MATERIALS SHALL ENCROACH ON AREAS OUTSIDE THE LIMITS AND SHALL BE PROTECTED DURING CONSTRUCTION. ANY DAMAGE TO THE PROTECTED AREAS, ACCIDENTAL OR OTHERWISE, SHALL BE PREPARED TO THE SATISFACTION OF THE OWNER AT NO COST.

**1 ENLARGE FLOOR PLAN - C**  
1/8" = 1'-0"




**REVISIONS**

Date	Rev. #	Description

Date 04/04/2024  
Project Number 180124

ENLARGE FLOOR PLAN- C

SHEET  
**A1.4**



1 ENLARGE FLOOR PLAN - D  
1/8" = 1'-0"


SYMBOL LEGEND	
	NORTH ARROW
	ENLARGED PLAN OR PLAN DETAIL
	ROOM NAME & NUMBER
	ELEVATION
	SECTION
	NO WORK

ROOM FINISH LEGEND	
	WALLS: PAINT COLOR A & B (CORRIDORS) FLOOR: EXISTING TO REMAIN BASE: EXISTING TO REMAIN
	WALLS: PAINT COLOR A ON EXISTING COLUMNS & UNDERNEATH FURR DOWN (LOBBY) FLOOR: EXISTING TO REMAIN BASE: EXISTING TO REMAIN
	WALLS: PAINT COLOR A & B (RESTROOMS) FLOOR: EXISTING TO REMAIN BASE: EXISTING TO REMAIN NOTE: PAINT EXISTING CONCRETE TOILET PARTITIONS & DOORS. WAINSCOT HEIGHT TO BE 6 CMU BLOCKS HIGH MATCHING CORRIDORS
	WALLS: PAINT COLOR A & B (GYM & CAFETERIA) FLOOR: EXISTING TO REMAIN BASE: EXISTING TO REMAIN

- FINISH NOTES**
- ALL DOORS AND FRAMES IN RENOVATED AREAS TO BE NEW PAINT COLOR B.
  - PREP ALL METAL DOORS & DOOR FRAMES TO RECEIVE NEW PAINT.
  - ALL INTERIOR WINDOWS IN RENOVATED AREAS TO BE NEW PAINT COLOR B.
  - PREP ALL INTERIOR METAL WINDOW FRAMES TO RECEIVE NEW PAINT.
  - PAINT ALL EXISTING WALLS IN RENOVATED AREA. IF EXISTING PAINT IS PEELING, PATCH & REPAIR AREA TO RECEIVE NEW PAINT.
  - OWNER TO PROVIDE EXISTING PAINT COLORS THAT ARE TO REMAIN.
  - PAINT EXISTING GYP. BD. CEILING MATCHING EXISTING COLOR.
  - NO FLOOR, WALL BASE, CEILING OR LIGHTING WORK.
  - REFER TO PLANS AND ELEVATIONS FOR PAINT ALLOCATIONS.
  - IN EXISTING RESTROOMS, PAINT CONCRETE TOILET PARTITIONS & DOORS MATCHING EXISTING COLOR UNLESS NOTED OTHERWISE.
  - ALL PAINT FINISH TO APPEAR AS NEW.
  - REFER TO SPECIFICATION BOOK FOR FURTHER PAINT SPECIFICATIONS AND PREP REQUIREMENTS.
  - ALL EXISTING PAINT REMAINING IN RENOVATED AREA TO RECEIVE A FRESH COAT OF PAINT.
  - REMOVE ALL RESIDUE FROM DOOR, DOOR FRAMES AND WALLS PRIOR TO PAINTING.
  - PAINT BOTH SIDE OF DOORS AND DOOR FRAMES IN RENOVATED AREAS.

FINISH SCHEDULE	
<b>PAINT</b>	
PAINT COLOR A- TO MATCH BENJAMIN MOORE OC-67 ICE MIST	
PAINT COLOR B- TO MATCH BENJAMIN MOORE CSP-110 VINTAGE PEWTER	

- GENERAL NOTES**
- CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO THE COMMENCEMENT OF WORK.
  - CONTRACTOR TO NOTIFY OWNER IF SUSPECTED ASBESTOS IS FOUND.
  - CONTRACTOR SHALL RETAIN ALL REQUIRED EGRESS PASSAGES AND EMERGENCY LIGHTING THROUGHOUT THE DURATION OF THE WORK.
  - CONTRACTOR SHALL PROVIDE TEMPORARY BARRIERS TO PREVENT UNAUTHORIZED ACCESS TO CONSTRUCTION AREAS DURING THE DURATION OF THE WORK.
  - MATERIAL REMOVED FROM THE CONSTRUCTION SITE DURING DEMOLITION REMAINS THE PROPERTY OF THE OWNER. VERIFY WITH OWNER PRIOR TO DISPOSAL OF MATERIALS AND/OR EQUIPMENT. IF MATERIALS/EQUIPMENT ARE TO BE REUSED, VERIFY WITH THE OWNER WHAT MATERIALS ARE TO BE RECLAIMED AND WHERE THEY ARE TO BE STORED.
  - IF EXISTING ITEMS IN WORKING ORDER PRIOR TO DEMOLITION ARE DAMAGED DURING CONSTRUCTION AND ARE TO BE REUSED, THE ITEM(S) SHALL BE RESTORED TO WORKING ORDER AND FINISHED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
  - ANY FINISHES, EQUIPMENT, FURNISHINGS, ETC. THAT ARE DAMAGED OR MISPLACED/LOST DURING THE COURSE OF THE WORK SHALL BE REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
  - WHERE NO WORK IS TO TAKE PLACE, THE CONTRACTOR SHALL PROTECT ALL EXISTING FURNISHINGS AND FINISHES.
  - ANY DAMAGE TO EXISTING CURBS, WALKS, PAVING, UTILITIES, FENCING, GRASS, TREES, PLANTING OR EXTERIOR STRUCTURES AND OTHER ITEMS INDICATED TO REMAIN SHALL BE REPAIRED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
  - DISPOSE OF ALL DEBRIS IN ACCORDANCE WITH AUTHORITIES HAVING JURISDICTION.
  - S.C. TO VERIFY LOCATIONS OF EXISTING UTILITIES SO AS TO NOT DAMAGE EXISTING SERVICES.
  - NO CONSTRUCTION WORK, TRAFFIC, PERSONNEL OR MATERIALS SHALL ENCROACH ON AREAS OUTSIDE THE LIMITS AND SHALL BE PROTECTED DURING CONSTRUCTION. ANY DAMAGE TO THE PROTECTED AREAS, ACCIDENTAL OR OTHERWISE, SHALL BE PREPARED TO THE SATISFACTION OF THE OWNER AT NO COST.



**4FDESIGN**  
5101 WHEELIS DRIVE, SUITE 215  
MEMPHIS, TN 38117  
T: 901.767.3924  
www.4fdesign.com


**BARTLETT CITY SCHOOLS**  
**APPLING MIDDLE SCHOOL PAINT UPGRADES**  
 3700 Appling Road  
 Memphis TN 38113

REVISIONS		
Date	Rev. #	Description

Date 04/04/2024  
Project Number 180124

ENLARGE FLOOR PLAN- D

SHEET  
**A1.5**



**DESIGN**

4FDESIGN  
5101 WHEELIS DRIVE, SUITE 215  
MEMPHIS, TN 38117  
T: 901.767.3924  
www.4fdesign.com

CONTRACTOR'S NOTICE: CONTRACTOR SHALL VERIFY ALL RIGHTS RESERVED. THIS DOCUMENT IS PROVIDED FOR INFORMATION ONLY AND DOES NOT BE USED, COPIED OR REPRODUCED WITHOUT PRIOR WRITTEN CONSENT.

**BARTLETT CITY SCHOOLS  
APPLING MIDDLE SCHOOL PAINT UPGRADES**

3700 Appling Road  
Memphis TN 38113

**REVISIONS**


Date Rev. # Description

Date 04/04/2024  
Project Number 180124


ENLARGE FLOOR PLAN- E

SHEET


**A1.6**




**1 ENLARGE FLOOR PLAN - E**  
1/8" = 1'-0"




**A- TYPICAL RESTROOMS**



**B- TYPICAL RESTROOMS**



**C- TYPICAL RESTROOMS**



**D- TYPICAL RESTROOMS**

**SYMBOL LEGEND**

	NORTH ARROW
	ENLARGED PLAN OR PLAN DETAIL
	ROOM NAME & NUMBER
	ELEVATION
	SECTION
	NO WORK

**ROOM FINISH LEGEND**

	WALLS: PAINT COLOR A & B (CORRIDORS) FLOOR: EXISTING TO REMAIN BASE: EXISTING TO REMAIN
	WALLS: PAINT COLOR A ON EXISTING COLUMNS & UNDERNEATH FURR DOWN (LOBBY) FLOOR: EXISTING TO REMAIN BASE: EXISTING TO REMAIN
	WALLS: PAINT COLOR A & B (RESTROOMS) FLOOR: EXISTING TO REMAIN BASE: EXISTING TO REMAIN NOTE: PAINT EXISTING CONCRETE TOILET PARTITIONS & DOORS. WAINSCOT HEIGHT TO BE 6 CMU BLOCKS HIGH MATCHING CORRIDORS
	WALLS: PAINT COLOR A & B (GYM & CAFETERIA) FLOOR: EXISTING TO REMAIN BASE: EXISTING TO REMAIN


- FINISH NOTES**
- ALL DOORS AND FRAMES IN RENOVATED AREAS TO BE NEW PAINT COLOR B.
  - PREP ALL METAL DOORS & DOOR FRAMES TO RECEIVE NEW PAINT.
  - ALL INTERIOR WINDOWS IN RENOVATED AREAS TO BE NEW PAINT COLOR B.
  - PREP ALL INTERIOR METAL WINDOW FRAMES TO RECEIVE NEW PAINT.
  - PAINT ALL EXISTING WALLS IN RENOVATED AREA. IF EXISTING PAINT IS PEELING, PATCH & REPAIR AREA TO RECEIVE NEW PAINT.
  - OWNER TO PROVIDE EXISTING PAINT COLORS THAT ARE TO REMAIN.
  - PAINT EXISTING GYP. BD. CEILING MATCHING EXISTING COLOR.
  - NO FLOOR, WALL, BASE, CEILING OR LIGHTING WORK.
  - REFER TO PLANS AND ELEVATIONS FOR PAINT ALLOCATIONS.
  - IN EXISTING RESTROOMS, PAINT CONCRETE TOILET PARTITIONS & DOORS MATCHING EXISTING COLOR UNLESS NOTED OTHERWISE.
  - ALL PAINT FINISH TO APPEAR AS NEW.
  - REFER TO SPECIFICATION BOOK FOR FURTHER PAINT SPECIFICATIONS AND PREP REQUIREMENTS.
  - ALL EXISTING PAINT REMAINING IN RENOVATED AREA TO RECEIVE A FRESH COAT OF PAINT.
  - REMOVE ALL RESIDUE FROM DOOR, DOOR FRAMES AND WALLS PRIOR TO PAINTING.
  - PAINT BOTH SIDE OF DOORS AND DOOR FRAMES IN RENOVATED AREAS.

**FINISH SCHEDULE**

**PAINT**

PAINT COLOR A- TO MATCH BENJAMIN MOORE OC-67 ICE MIST  
PAINT COLOR B- TO MATCH BENJAMIN MOORE CSP-110 VINTAGE PEWTER

- GENERAL NOTES**
- CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO THE COMMENCEMENT OF WORK.
  - CONTRACTOR TO NOTIFY OWNER IF SUSPECTED ASBESTOS IS FOUND.
  - CONTRACTOR SHALL RETAIN ALL REQUIRED EGRESS PASSAGES AND EMERGENCY LIGHTING THROUGHOUT THE DURATION OF THE WORK.
  - CONTRACTOR SHALL PROVIDE TEMPORARY BARRIERS TO PREVENT UNAUTHORIZED ACCESS TO CONSTRUCTION AREAS DURING THE DURATION OF THE WORK.
  - MATERIAL REMOVED FROM THE CONSTRUCTION SITE DURING DEMOLITION REMAINS THE PROPERTY OF THE OWNER. VERIFY WITH OWNER PRIOR TO DISPOSAL OF MATERIALS AND/OR EQUIPMENT. IF MATERIALS/EQUIPMENT ARE TO BE REUSED, VERIFY WITH THE OWNER WHAT MATERIALS ARE TO BE RECLAIMED AND WHERE THEY ARE TO BE STORED.
  - IF EXISTING ITEMS IN WORKING ORDER PRIOR TO DEMOLITION ARE DAMAGED DURING CONSTRUCTION AND ARE TO BE REUSED, THE ITEM(S) SHALL BE RESTORED TO WORKING ORDER AND FINISHED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
  - ANY FINISHES, EQUIPMENT, FURNISHINGS, ETC. THAT ARE DAMAGED OR MISPLACED/LOST DURING THE COURSE OF THE WORK SHALL BE REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
  - WHERE NO WORK IS TO TAKE PLACE, THE CONTRACTOR SHALL PROTECT ALL EXISTING FURNISHINGS AND FINISHES.
  - ANY DAMAGE TO EXISTING CURBS, WALKS, PAVING, UTILITIES, FENCING, GRASS, TREES, PLANTING OR EXTERIOR STRUCTURES AND OTHER ITEMS INDICATED TO REMAIN SHALL BE REPAIRED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
  - DISPOSE OF ALL DEBRIS IN ACCORDANCE WITH AUTHORITIES HAVING JURISDICTION.
  - S.C. TO VERIFY LOCATIONS OF EXISTING UTILITIES SO AS TO NOT DAMAGE EXISTING SERVICES.
  - NO CONSTRUCTION WORK, TRAFFIC, PERSONNEL OR MATERIALS SHALL ENCROACH ON AREAS OUTSIDE THE LIMITS AND SHALL BE PROTECTED DURING CONSTRUCTION. ANY DAMAGE TO THE PROTECTED AREAS, ACCIDENTAL OR OTHERWISE, SHALL BE PREPARED TO THE SATISFACTION OF THE OWNER AT NO COST.





**DESIGN**

4FDESIGN  
5101 WHEELIS DRIVE, SUITE 215  
MEMPHIS, TN 38117  
T: 901.767.3924  
www.4fdesign

COPYRIGHT NOTICE:  
COPYRIGHT 2024 BY 4F DESIGN, P.C. ALL RIGHTS RESERVED. THIS DOCUMENT  
IS PROPRIETARY TO 4F DESIGN. DESIGN AND/OR NOT BE REPRODUCED,  
COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT  
THE WRITTEN CONSENT OF 4F DESIGN.

**SYMBOL LEGEND**

NORTH ARROW

ENLARGED PLAN OR PLAN DETAIL

ROOM NAME & NUMBER

ELEVATION

SECTION

NO WORK

**ROOM FINISH LEGEND**

- WALLS: PAINT COLOR A & B (CORRIDORS)  
FLOOR: EXISTING TO REMAIN  
BASE: EXISTING TO REMAIN
- WALLS: PAINT COLOR A ON EXISTING COLUMNS & UNDERNEATH  
FURN DOWN (LOBBY)  
FLOOR: EXISTING TO REMAIN  
BASE: EXISTING TO REMAIN
- WALLS: PAINT COLOR A & B (RESTROOMS)  
FLOOR: EXISTING TO REMAIN  
BASE: EXISTING TO REMAIN  
NOTE: PAINT EXISTING CONCRETE TOILET PARTITIONS & DOORS.  
WAINSCOT HEIGHT TO BE 6 CMU BLOCKS HIGH MATCHING  
CORRIDORS
- WALLS: PAINT COLOR A & B (GYM & CAFETERIA)  
FLOOR: EXISTING TO REMAIN  
BASE: EXISTING TO REMAIN

**FINISH NOTES**

1. ALL DOORS AND FRAMES IN RENOVATED AREAS TO BE NEW PAINT COLOR B.
2. PREP ALL METAL DOORS & DOOR FRAMES TO RECEIVE NEW PAINT.
3. ALL INTERIOR WINDOWS IN RENOVATED AREAS TO BE NEW PAINT COLOR B.
4. PREP ALL INTERIOR METAL WINDOW FRAMES TO RECEIVE NEW PAINT.
5. PAINT ALL EXISTING WALLS IN RENOVATED AREA. IF EXISTING PAINT IS PEELING, PATCH & REPAIR AREA TO RECEIVE NEW PAINT.
6. OWNER TO PROVIDE EXISTING PAINT COLORS THAT ARE TO REMAIN.
7. PAINT EXISTING GYP. BD. CEILING MATCHING EXISTING COLOR.
8. NO FLOOR, WALL, BASE, CEILING OR LIGHTING WORK.
9. REFER TO PLANS AND ELEVATIONS FOR PAINT ALLOCATIONS.
10. IN EXISTING RESTROOMS, PAINT CONCRETE TOILET PARTITIONS & DOORS MATCHING EXISTING COLOR UNLESS NOTED OTHERWISE.
11. ALL PAINT FINISH TO APPEAR AS NEW.
12. REFER TO SPECIFICATION BOOK FOR FURTHER PAINT SPECIFICATIONS AND PREP REQUIREMENTS.
13. ALL EXISTING PAINT REMAINING IN RENOVATED AREA TO RECEIVE A FRESH COAT OF PAINT.
14. REMOVE ALL RESIDUE FROM DOOR, DOOR FRAMES AND WALLS PRIOR TO PAINTING.
15. PAINT BOTH SIDE OF DOORS AND DOOR FRAMES IN RENOVATED AREAS.

**FINISH SCHEDULE**


**PAINT**

PAINT COLOR A- TO MATCH BENJAMIN MOORE OC-67 ICE MIST


PAINT COLOR B- TO MATCH BENJAMIN MOORE CSP-110 VINTAGE PEWTER

**GENERAL NOTES**

1. CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO THE COMMENCEMENT OF WORK.
2. CONTRACTOR TO NOTIFY OWNER IF SUSPECTED ASBESTOS IS FOUND.
3. CONTRACTOR SHALL RETAIN ALL REQUIRED EGRESS PASSAGES AND EMERGENCY LIGHTING THROUGHOUT THE DURATION OF THE WORK.
4. CONTRACTOR SHALL PROVIDE TEMPORARY BARRIERS TO PREVENT UNAUTHORIZED ACCESS TO CONSTRUCTION AREAS DURING THE DURATION OF THE WORK.
5. MATERIAL REMOVED FROM THE CONSTRUCTION SITE DURING DEMOLITION REMAINS THE PROPERTY OF THE OWNER. VERIFY WITH OWNER PRIOR TO DISPOSAL OF MATERIALS AND/OR EQUIPMENT. IF MATERIALS/EQUIPMENT ARE TO BE REUSED, VERIFY WITH THE OWNER WHAT MATERIALS ARE TO BE RECLAIMED AND WHERE THEY ARE TO BE STORED.
6. IF EXISTING ITEMS IN WORKING ORDER PRIOR TO DEMOLITION ARE DAMAGED DURING CONSTRUCTION AND ARE TO BE REUSED, THE ITEMS SHALL BE RESTORED TO WORKING ORDER AND FINISHED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
7. ANY FINISHES, EQUIPMENT, FURNISHINGS, ETC. THAT ARE DAMAGED OR MISPLACED/LOST DURING THE COURSE OF THE WORK SHALL BE REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
8. WHERE NO WORK IS TO TAKE PLACE, THE CONTRACTOR SHALL PROTECT ALL EXISTING FURNISHINGS AND FINISHES.
9. ANY DAMAGE TO EXISTING CURBS, WALKS, PAVING, UTILITIES, FENCING, GRASS, TREES, PLANTING OR EXTERIOR STRUCTURES AND OTHER ITEMS INDICATED TO REMAIN SHALL BE REPAIRED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
10. DISPOSE OF ALL DEBRIS IN ACCORDANCE WITH AUTHORITIES HAVING JURISDICTION.
11. G.C. TO VERIFY LOCATIONS OF EXISTING UTILITIES SO AS TO NOT DAMAGE EXISTING SERVICES.
12. NO CONSTRUCTION WORK, TRAFFIC, PERSONNEL, OR MATERIALS SHALL ENCR OACH ON AREAS OUTSIDE THE LIMITS AND SHALL BE PROTECTED DURING CONSTRUCTION. ANY DAMAGE TO THE PROTECTED AREAS, ACCIDENTAL OR OTHERWISE, SHALL BE REPAIRED TO THE SATISFACTION OF THE OWNER AT NO COST.



**1 ENLARGE FLOOR PLAN - F**  
1/8" = 1'-0"



BARTLETT CITY SCHOOLS  
**APPLING MIDDLE SCHOOL PAINT UPGRADES**

3700 Appling Road  
Memphis TN 38113

**REVISIONS**

Date	Rev. #	Description

Date 04/04/2024  
Project Number 180124

ENLARGE FLOOR PLAN- F

SHEET

**A1.7**






**DESIGN**

4FDESIGN  
5101 WHEELIS DRIVE, SUITE 215  
MEMPHIS, TN 38117  
T: 901.767.3924  
www.4fdesign

COPYRIGHT 2024 BY 4F DESIGN, P.C. ALL RIGHTS RESERVED. THIS DOCUMENT IS PROPRIETARY TO 4F DESIGN, P.C. AND SHALL NOT BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PRIOR WRITTEN CONSENT.

BARTLETT CITY SCHOOLS  
**APPLING MIDDLE SCHOOL PAINT UPGRADES**  
3700 Appling Road  
Memphis TN 38113



**1 ENLARGE FLOOR PLAN - G**  
1" = 10'-0"

**SYMBOL LEGEND**

NORTH ARROW

ENLARGED PLAN OR PLAN DETAIL

ROOM NAME & NUMBER

ELEVATION

SECTION

NO WORK

**ROOM FINISH LEGEND**

- WALLS: PAINT COLOR A & B (CORRIDORS)  
FLOOR: EXISTING TO REMAIN  
BASE: EXISTING TO REMAIN
- WALLS: PAINT COLOR A ON EXISTING COLUMNS & UNDERNEATH FURR DOWN (LOBBY)  
FLOOR: EXISTING TO REMAIN  
BASE: EXISTING TO REMAIN
- WALLS: PAINT COLOR A & B (RESTROOMS)  
FLOOR: EXISTING TO REMAIN  
BASE: EXISTING TO REMAIN  
NOTE: PAINT EXISTING CONCRETE TOILET PARTITIONS & DOORS. WAINSCOT HEIGHT TO BE 6 CMU BLOCKS HIGH MATCHING CORRIDORS
- WALLS: PAINT COLOR A & B (GYM & CAFETERIA)  
FLOOR: EXISTING TO REMAIN  
BASE: EXISTING TO REMAIN

- FINISH NOTES**
- ALL DOORS AND FRAMES IN RENOVATED AREAS TO BE NEW PAINT COLOR B.
  - PREP ALL METAL DOORS & DOOR FRAMES TO RECEIVE NEW PAINT.
  - ALL INTERIOR WINDOWS IN RENOVATED AREAS TO BE NEW PAINT COLOR B.
  - PREP ALL INTERIOR METAL WINDOW FRAMES TO RECEIVE NEW PAINT.
  - PAINT ALL EXISTING WALLS IN RENOVATED AREA. IF EXISTING PAINT IS PEELING, PATCH & REPAIR AREA TO RECEIVE NEW PAINT.
  - OWNER TO PROVIDE EXISTING PAINT COLORS THAT ARE TO REMAIN.
  - PAINT EXISTING GYP. BD. CEILING MATCHING EXISTING COLOR.
  - NO FLOOR, WALL BASE, CEILING OR LIGHTING WORK.
  - REFER TO PLANS AND ELEVATIONS FOR PAINT ALLOCATIONS.
  - IN EXISTING RESTROOMS, PAINT CONCRETE TOILET PARTITIONS & DOORS MATCHING EXISTING COLOR UNLESS NOTED OTHERWISE.
  - ALL PAINT FINISH TO APPEAR AS NEW.
  - REFER TO SPECIFICATION BOOK FOR FURTHER PAINT SPECIFICATIONS AND PREP REQUIREMENTS.
  - ALL EXISTING PAINT REMAINING IN RENOVATED AREA TO RECEIVE A FRESH COAT OF PAINT.
  - REMOVE ALL RESIDUE FROM DOOR, DOOR FRAMES AND WALLS PRIOR TO PAINTING.
  - PAINT BOTH SIDE OF DOORS AND DOOR FRAMES IN RENOVATED AREAS.


**FINISH SCHEDULE**

**PAINT**

PAINT COLOR A- TO MATCH BENJAMIN MOORE OC-67 ICE MIST

PAINT COLOR B- TO MATCH BENJAMIN MOORE CSP-110 VINTAGE PEWTER

- GENERAL NOTES**
- CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO THE COMMENCEMENT OF WORK.
  - CONTRACTOR TO NOTIFY OWNER IF SUSPECTED ASBESTOS IS FOUND.
  - CONTRACTOR SHALL RETAIN ALL REQUIRED EGRESS PASSAGES AND EMERGENCY LIGHTING THROUGHOUT THE DURATION OF THE WORK.
  - CONTRACTOR SHALL PROVIDE TEMPORARY BARRIERS TO PREVENT UNAUTHORIZED ACCESS TO CONSTRUCTION AREAS DURING THE DURATION OF THE WORK.
  - MATERIAL REMOVED FROM THE CONSTRUCTION SITE DURING DEMOLITION REMAINS THE PROPERTY OF THE OWNER. VERIFY WITH OWNER PRIOR TO DISPOSAL OF MATERIALS AND/OR EQUIPMENT. IF MATERIALS/EQUIPMENT ARE TO BE REUSED, VERIFY WITH THE OWNER WHAT MATERIALS ARE TO BE RECLAIMED AND WHERE THEY ARE TO BE STORED.
  - IF EXISTING ITEMS IN WORKING ORDER PRIOR TO DEMOLITION ARE DAMAGED DURING CONSTRUCTION AND ARE TO BE REUSED, THE ITEM(S) SHALL BE RESTORED TO WORKING ORDER AND FINISHED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
  - ANY FINISHES, EQUIPMENT, FURNISHINGS, ETC. THAT ARE DAMAGED OR MISPLACED/LOST DURING THE COURSE OF THE WORK SHALL BE REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
  - WHERE NO WORK IS TO TAKE PLACE, THE CONTRACTOR SHALL PROTECT ALL EXISTING FURNISHINGS AND FINISHES.
  - ANY DAMAGE TO EXISTING CURBS, WALKS, PAVING, UTILITIES, FENCING, GRASS, TREES, PLANTING OR EXTERIOR STRUCTURES AND OTHER ITEMS INDICATED TO REMAIN SHALL BE REPAIRED OR REPLACED BY THE CONTRACTOR AT NO COST TO THE OWNER.
  - DISPOSE OF ALL DEBRIS IN ACCORDANCE WITH AUTHORITIES HAVING JURISDICTION.
  - G.C. TO VERIFY LOCATIONS OF EXISTING UTILITIES SO AS TO NOT DAMAGE EXISTING SERVICES.
  - NO CONSTRUCTION WORK, TRAFFIC, PERSONNEL, OR MATERIALS SHALL ENCROACH ON AREAS OUTSIDE THE LIMITS AND SHALL BE PROTECTED DURING CONSTRUCTION. ANY DAMAGE TO THE PROTECTED AREAS, ACCIDENTAL OR OTHERWISE, SHALL BE PREPARED TO THE SATISFACTION OF THE OWNER AT NO COST.



**REVISIONS**

Date	Rev. #	Description

Date 04/04/2024  
Project Number 180124

ENLARGE FLOOR PLAN- G


SHEET  
**A1.8**



**DESIGN**

4FDESIGN  
5101 WHEELIS DRIVE, SUITE 215  
MEMPHIS, TN 38117  
T: 901.767.3924  
www.4fdesign.com

COPYRIGHT NOTICE: COPYRIGHT 2024 BY 4F DESIGN, P.C. ALL RIGHTS RESERVED. THIS DOCUMENT IS THE PROPERTY OF 4F DESIGN, P.C. AND SHALL NOT BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN CONSENT OF 4F DESIGN, P.C.



**1 TYPICAL CORRIDOR WALL**  
1/4" = 1'-0"



**TYPICAL CORRIDOR WALL**


- NEW FIELD PAINT- PAINT COLOR A
- DOOR & DOOR FRAMES TO BE PAINTED MIDTONE GRAY- PAINT COLOR B
- EXISTING YELLOW STRIPE TO REMAIN
- EXISTING BLACK STRIPE TO REMAIN
- NEW MIDTONE GRAY PAINT- PAINT COLOR B
- EXISTING RUBBER BASE TO REMAIN



**TYPICAL CAFETERIA WALLS & STAGE**

- NEW FIELD PAINT- PAINT COLOR A
- EXISTING YELLOW STRIPE TO REMAIN
- EXISTING BLACK STRIPE TO REMAIN
- NEW MIDTONE GRAY PAINT- PAINT COLOR B
- EXISTING RUBBER BASE TO REMAIN

- PAINT HANDRAILS CHARCOAL GRAY- BENJAMIN MOORE/ HC-166 KENDALL CHARCOAL
- PAINT MIDTONE GRAY- PAINT COLOR B




**4 TYPICAL CAFETERIA WALLS**  
1/4" = 1'-0"




**TYPICAL COLUMN IN LOBBY**

- PAINT EXISTING COLUMN & UNDERNEATH FURR DOWN WITH NEW FIELD PAINT COLOR- PAINT COLOR A




**2 TYPICAL GYM ELEVATION**  
1/4" = 1'-0"



**TYPICAL GYM WALL**

- NEW FIELD PAINT- PAINT COLOR A
- EXISTING MURAL TO REMAIN
- YELLOW & BLACK STRIPE TO REMAIN
- NEW MIDTONE GRAY PAINT- PAINT COLOR B
- DOOR & DOOR FRAMES PAINTED WITH NEW MIDTONE GRAY PAINT- PAINT COLOR B




**TYPICAL GYM WALL**

- NEW FIELD PAINT- PAINT COLOR A
- EXISTING GRAY STRIPE TO BE PAINTED OVER WITH FIELD PAINT- PAINT COLOR A
- EXISTING GRAPHIC FIGURES TO REMAIN
- EXISTING YELLOW STRIPE TO REMAIN
- EXISTING BLACK STRIPE TO REMAIN
- NEW MIDTONE GRAY PAINT- PAINT COLOR B
- EXISTING RUBBER BASE TO REMAIN



**GYM WALL WITH NEW LOGO**

- PAINT 'HOME OF THE WILDCATS' CENTERED ON BLEACHERS- REFER TO EXISTING LOGO ON OPPOSITE WALL FOR FONT TYPE
- EXISTING GRAY STRIPE TO BE PAINTED OVER WITH FIELD PAINT- PAINT COLOR A
- NEW PAINT COLOR- PAINT COLOR B



**3 GYM ELEVATION**  
1/4" = 1'-0"

BARTLETT CITY SCHOOLS  
**APPLYING MIDDLE SCHOOL PAINT UPGRADES**

3700 Appling Road  
Memphis TN 38113

REVISIONS		
Date	Rev. #	Description

Date: 04/04/2024  
Project Number: 180124

INTERIOR ELEVATIONS

SHEET  
**A7.1**

4/4/2024 12:37:42 PM